



# SMOOTH LINE STRIP






## Soft Light

High-Density 1510 LEDs for Smooth, Even Glow.  
Better lighting consistency, dot-free.

## Excellent linear lighting effect

CRI90 | Soft light | Dot free





## Cuttable

Customize your length with easy cutting, perfect for any installation scenario.



## APPLICATION


Widely used in hotels, shopping malls, furniture, cabinets, shelf, as decoration lighting, direct lighting or indirect lighting.

## SPECIFICATIONS


Model	Wave Length & CCT Range(for LED only)		Luminous Flux (lm/m)	CRI	LED Type	LED Qty (LEDs/m)	Rated Watt (w/m)	DC Voltage (V)	Max.Length (M)	Min.Length (mm)	PCB Width (mm)	IP Grade	Beam Angle
SC-1510-08-JT0803W-XX-24-320-8-IP40	WW		1100	90	1510	320	9	24	5	40	8	IP40	150°
	NW		1150										
	W		1160										
	R	620-630nm	/	/									
	G	515-530nm	/										
	B	460-470nm	/										

## DIMENSIONS

(Unit: mm/inch)




## PACKAGING INFORMATION




LED strip + Anti-static bag		Packing Box		
Part Number	Gross Weight per Reel	QTY per Carton	Gross Weight	Size(cm/inch)
SC-1510-08-JT0803W-XX-24-320-8-IP40	0.35KG	60	22KG	59cm*32.5cm*21.1cm 23.23"*12.8"*8.31"

## BENDING DIRECTION




Correct Bending



Incorrect Bending



Incorrect Twisting



Minimum bending radius

## INSTALLATION REQUIREMENT



- The LED strip and accessories can't be squeezed or folded.
- PCB conductive parts can't be damaged during installation.
- Installation must conform to electrical safety standard. The LED strip can only be installed by professionals.
- Ensure power supply transform operating load with transformer.
- When installing on metal or conductor surface, insulation protection need to be provided to the contact area.
- Observe positive and negative polarity, ensure correct connection to avoid damaging LED strip.
- During installation, please prevent static electricity.
- The product need anti-corrosion environment, such as, avoiding damp, water drop or other adverse elements.